


# Liberty Radiator



Product Code (Heating Only)	Height (mm) (h)	Width (mm) (w)	Depth (mm) (d)	Wall to Face (mm)	Tapping Centres (mm)			Output (watts)	Dry Weight (Kg)	Water Content (ltrs)	Product Codes (Electric) *2				Estimated delivery *1
					(c1)	(c2)	(c3)				HE	E	POL1 - HE	POL1 - E	
LIB[*]1066032	660	328	203	235 / 245	n/a	122 / 132	328	563	43.2	9.04	n/a	n/a	n/a	n/a	L
LIB[*]1066040	660	404	203	235 / 245	n/a	122 / 132	404	703	54	11.3	n/a	n/a	n/a	n/a	L
LIB[*]1066048	660	480	203	235 / 245	n/a	122 / 132	480	844	64.8	13.56	n/a	n/a	n/a	LIB[*]5066048	L
LIB[*]1066055	660	556	203	235 / 245	n/a	122 / 132	556	984	75.6	15.82	n/a	n/a	n/a	n/a	L
LIB[*]1066063	660	632	203	235 / 245	n/a	122 / 132	632	1125	86.4	18.08	n/a	n/a	n/a	LIB[*]5066063	L
LIB[*]1066070	660	708	203	235 / 245	n/a	122 / 132	708	1266	97.2	20.34	n/a	n/a	n/a	n/a	L
LIB[*]1066078	660	784	203	235 / 245	n/a	122 / 132	784	1406	108	22.6	n/a	n/a	n/a	LIB[*]5066078	L
LIB[*]1066086	660	860	203	235 / 245	n/a	122 / 132	860	1547	118.8	24.86	n/a	n/a	n/a	n/a	L
LIB[*]1066093	660	936	203	235 / 245	n/a	122 / 132	936	1688	129.6	27.12	n/a	n/a	n/a	n/a	L
LIB[*]1066101	660	1012	203	235 / 245	n/a	122 / 132	1012	1828	140.4	29.38	n/a	n/a	n/a	n/a	L
LIB[*]1066108	660	1088	203	235 / 245	n/a	122 / 132	1088	1969	151.2	31.64	n/a	n/a	n/a	n/a	L
LIB[*]1066116	660	1164	203	235 / 245	n/a	122 / 132	1164	2110	162	33.9	n/a	n/a	n/a	n/a	L
LIB[*]1076032	760	328	203	235 / 245	n/a	122 / 132	328	613	44	10.4	n/a	n/a	n/a	n/a	L
LIB[*]1076040	760	404	203	235 / 245	n/a	122 / 132	404	767	55	13	n/a	n/a	n/a	n/a	L
LIB[*]1076048	760	480	203	235 / 245	n/a	122 / 132	480	920	66	15.6	n/a	n/a	n/a	LIB[*]5076048	L
LIB[*]1076055	760	556	203	235 / 245	n/a	122 / 132	556	1073	77	18.2	n/a	n/a	n/a	n/a	L
LIB[*]1076063	760	632	203	235 / 245	n/a	122 / 132	632	1226	88	20.8	n/a	n/a	n/a	LIB[*]5076063	L
LIB[*]1076070	760	708	203	235 / 245	n/a	122 / 132	708	1380	99	23.4	n/a	n/a	n/a	n/a	L
LIB[*]1076078	760	784	203	235 / 245	n/a	122 / 132	784	1553	110	26	n/a	n/a	n/a	n/a	L
LIB[*]1076086	760	860	203	235 / 245	n/a	122 / 132	860	1686	121	28.6	n/a	n/a	n/a	n/a	L
LIB[*]1076093	760	936	203	235 / 245	n/a	122 / 132	936	1840	132	31.2	n/a	n/a	n/a	n/a	L
LIB[*]1076101	760	1012	203	235 / 245	n/a	122 / 132	1012	1993	143	33.8	n/a	n/a	n/a	n/a	L
LIB[*]1076108	760	1088	203	235 / 245	n/a	122 / 132	1088	2146	154	36.4	n/a	n/a	n/a	n/a	L
LIB[*]1076116	760	1164	203	235 / 245	n/a	122 / 132	1164	2300	165	39	n/a	n/a	n/a	n/a	L
LIB[*]1095032	954	328	203	235 / 245	n/a	122 / 132	328	765	54	13.2	n/a	n/a	n/a	n/a	L
LIB[*]1095040	954	404	203	235 / 245	n/a	122 / 132	404	957	67.5	16.5	n/a	n/a	n/a	n/a	L
LIB[*]1095048	954	480	203	235 / 245	n/a	122 / 132	480	1148	81	19.8	n/a	n/a	n/a	LIB[*]5095048	L
LIB[*]1095055	954	556	203	235 / 245	n/a	122 / 132	556	1339	94.5	23.1	n/a	n/a	n/a	n/a	L
LIB[*]1095063	954	632	203	235 / 245	n/a	122 / 132	632	1531	108	26.4	n/a	n/a	n/a	LIB[*]5095063	L
LIB[*]1095070	954	708	203	235 / 245	n/a	122 / 132	708	1722	121.5	29.7	n/a	n/a	n/a	n/a	L
LIB[*]1095078	954	784	203	235 / 245	n/a	122 / 132	784	1913	135	33	n/a	n/a	n/a	n/a	L
LIB[*]1095086	954	860	203	235 / 245	n/a	122 / 132	860	2104	148.5	36.3	n/a	n/a	n/a	n/a	L
LIB[*]1095093	954	936	203	235 / 245	n/a	122 / 132	936	2296	162	39.6	n/a	n/a	n/a	n/a	L
LIB[*]1095101	954	1012	203	235 / 245	n/a	122 / 132	1012	2487	175.5	42.9	n/a	n/a	n/a	n/a	L
LIB[*]1095108	954	1088	203	235 / 245	n/a	122 / 132	1088	2678	189	46.2	n/a	n/a	n/a	n/a	L
LIB[*]1095116	954	1164	203	235 / 245	n/a	122 / 132	1164	2870	202.5	49.5	n/a	n/a	n/a	n/a	L

• [\*] Available finishes = Primer "Umber Grey" (09) : RAL Colours (05) (RAL colours extends delivery time, see price list for details.)

**Notes:**

• Max operating pressure 6 bar • All connections 1/2" BSP BBOE (TBOE/TBSE 3/4" & 1" connections available on request) • Manufactured from cast iron

\*1 Note: Lorry delivery only : up to 10 working days

\*2 Note: Fully electric option extends delivery time, see price list for details. \*2 Note: Fully electric option reduces output. Multiply by 0.59 for electric output

**Continued on the next page**

## Liberty Radiator

Dimension detail (mm)					Heating Only		Dual Fuel		Electric Only		Dual Fuel - Thermostatic POL1		Electric Only - Thermostatic POL1	
Height (h)	Width (w)	Depth (d)	Sections	Output @ $\Delta t$ 60°C	Code	Price £ excl. VAT	Code	Price £ excl. VAT	Code	Price £ excl. VAT	Code	Price £ excl. VAT	Code	Price £ excl. VAT
660	328	203	4	563	LIB 09 1 066032	<b>282.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	404	203	5	703	LIB 09 1 066040	<b>329.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	480	203	6	844	LIB 09 1 066048	<b>376.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 09 5 066048	<b>663.00</b>
660	556	203	7	984	LIB 09 1 066055	<b>424.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	632	203	8	1125	LIB 09 1 066063	<b>471.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 09 5 066063	<b>762.00</b>
660	708	203	9	1266	LIB 09 1 066070	<b>518.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	784	203	10	1406	LIB 09 1 066078	<b>565.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 09 5 066078	<b>863.00</b>
660	860	203	11	1547	LIB 09 1 066086	<b>613.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	936	203	12	1688	LIB 09 1 066093	<b>660.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	1012	203	13	1828	LIB 09 1 066101	<b>707.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	1088	203	14	1969	LIB 09 1 066108	<b>754.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	1164	203	15	2110	LIB 09 1 066116	<b>802.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	328	203	4	613	LIB 09 1 076032	<b>299.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	404	203	5	767	LIB 09 1 076040	<b>351.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	480	203	6	920	LIB 09 1 076048	<b>403.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 09 5 076048	<b>694.00</b>
760	556	203	7	1073	LIB 09 1 076055	<b>454.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	632	203	8	1226	LIB 09 1 076063	<b>506.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 09 5 076063	<b>803.00</b>
760	708	203	9	1380	LIB 09 1 076070	<b>557.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	784	203	10	1553	LIB 09 1 076078	<b>609.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	860	203	11	1686	LIB 09 1 076086	<b>661.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	936	203	12	1840	LIB 09 1 076093	<b>712.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	1012	203	13	1993	LIB 09 1 076101	<b>764.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	1088	203	14	2146	LIB 09 1 076108	<b>816.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	1164	203	15	2300	LIB 09 1 076116	<b>867.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	328	203	4	765	LIB 09 1 095032	<b>383.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	404	203	5	957	LIB 09 1 095040	<b>453.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	480	203	6	1148	LIB 09 1 095048	<b>524.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 09 5 095048	<b>815.00</b>
954	556	203	7	1339	LIB 09 1 095055	<b>595.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	632	203	8	1531	LIB 09 1 095063	<b>666.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 09 5 095063	<b>966.00</b>
954	708	203	9	1722	LIB 09 1 095070	<b>737.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	784	203	10	1913	LIB 09 1 095078	<b>807.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	860	203	11	2104	LIB 09 1 095086	<b>878.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	936	203	12	2296	LIB 09 1 095093	<b>949.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	1012	203	13	2487	LIB 09 1 095101	<b>1020.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	1088	203	14	2678	LIB 09 1 095108	<b>1091.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	1164	203	15	2870	LIB 09 1 095116	<b>1161.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Continued on the next page

# Liberty Radiator

Dimension detail (mm)					Heating Only		Dual Fuel		Electric Only		Dual Fuel - Thermostatic POL1		Electric Only - Thermostatic POL1	
Height (h)	Width (w)	Depth (d)	Sections	Output @ $\Delta t$ 60°C	Code	Price £ excl. VAT	Code	Price £ excl. VAT	Code	Price £ excl. VAT	Code	Price £ excl. VAT	Code	Price £ excl. VAT
660	328	203	4	563	LIB 05 1 066032	<b>353.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	404	203	5	703	LIB 05 1 066040	<b>416.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	480	203	6	844	LIB 05 1 066048	<b>480.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 05 5 066048	<b>767.00</b>
660	556	203	7	984	LIB 05 1 066055	<b>543.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	632	203	8	1125	LIB 05 1 066063	<b>607.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 05 5 066063	<b>898.00</b>
660	708	203	9	1266	LIB 05 1 066070	<b>670.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	784	203	10	1406	LIB 05 1 066078	<b>734.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 05 5 066078	<b>1031.00</b>
660	860	203	11	1547	LIB 05 1 066086	<b>797.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	936	203	12	1688	LIB 05 1 066093	<b>860.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	1012	203	13	1828	LIB 05 1 066101	<b>924.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	1088	203	14	1969	LIB 05 1 066108	<b>987.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
660	1164	203	15	2110	LIB 05 1 066116	<b>1051.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	328	203	4	613	LIB 05 1 076032	<b>371.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	404	203	5	767	LIB 05 1 076040	<b>438.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	480	203	6	920	LIB 05 1 076048	<b>506.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 05 5 076048	<b>797.00</b>
760	556	203	7	1073	LIB 05 1 076055	<b>574.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	632	203	8	1226	LIB 05 1 076063	<b>642.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 05 5 076063	<b>939.00</b>
760	708	203	9	1380	LIB 05 1 076070	<b>709.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Liberty RAL Colour

760	784	203	10	1553	LIB 05 1 076078	<b>777.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	860	203	11	1686	LIB 05 1 076086	<b>845.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	936	203	12	1840	LIB 05 1 076093	<b>913.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	1012	203	13	1993	LIB 05 1 076101	<b>981.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	1088	203	14	2146	LIB 05 1 076108	<b>1048.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
760	1164	203	15	2300	LIB 05 1 076116	<b>1116.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	328	203	4	765	LIB 05 1 095032	<b>447.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	404	203	5	957	LIB 05 1 095040	<b>534.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	480	203	6	1148	LIB 05 1 095048	<b>621.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 05 5 095048	<b>912.00</b>
954	556	203	7	1339	LIB 05 1 095055	<b>708.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	632	203	8	1531	LIB 05 1 095063	<b>795.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	LIB 05 5 095063	<b>1095.00</b>
954	708	203	9	1722	LIB 05 1 095070	<b>882.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	784	203	10	1913	LIB 05 1 095078	<b>969.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	860	203	11	2104	LIB 05 1 095086	<b>1056.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	936	203	12	2296	LIB 05 1 095093	<b>1143.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	1012	203	13	2487	LIB 05 1 095101	<b>1230.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	1088	203	14	2678	LIB 05 1 095108	<b>1317.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
954	1164	203	15	2870	LIB 05 1 095116	<b>1404.00</b>	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Colours: please allow 3-5 weeks. Electric primer allow 3-5 weeks. Electric painted 4-6 weeks.